

KINGTIDE®

NON-IONIC WETTER / SPREADER / PENETRANT

PRINCIPAL FUNCTIONING AGENTS:

Methyl soyate, Methylated silicones, and Polyethylene glycol mono (branched p-nonylphenyl) ether..... 100%

All ingredients are exempt from the requirements of a tolerance as specified under 40 CFR 180.



WARNING
KEEP OUT OF REACH
OF CHILDREN

Warning: Causes eye irritation. Causes mild skin irritation. May be harmful if swallowed or inhaled. Wear protective gloves, protective clothing, and eye and/or face protection. Wash hands, face, and other affected areas thoroughly after handling. Do not eat, drink, or smoke when using this product. If eye or skin irritation occurs, seek medical attention.

GENERAL INFORMATION

KINGTIDE® is a multifunctional spray adjuvant formulated to promote fast spreading, uniform distribution and absorption of pesticide mixtures on leaf and stem surfaces. KINGTIDE™ is labeled for use with pesticides in agricultural cropping systems, aquatic, industrial, right-of-ways, non-cropland, forestry, and turf applications. KINGTIDE™ is especially effective if one (or more) of the following conditions exist:

1. Low relative humidity and high temperature.
2. Water volume rates below 15 gallons per acre (GPA).
3. When target species exceed recommended size guidelines on the pesticide label.
4. When environmental conditions are less than favorable for the pesticide application.

Use KINGTIDE® wherever a label calls for an MSO or MVO and allows or does not exclude the use of an organosilicone. NOTE: KINGTIDE® should be used only in accordance with recommended rates on the label of companion herbicides, defoliant, insecticides, or fungicides. For new users, it is recommended that small test areas be treated and evaluated before large-scale applications. It is recommended that the user or applicator advisor have experience with the tank mixture used or conducted a phytotoxicity trial before applying to foliage and/or fruit of susceptible crops.

DIRECTIONS FOR USE

HERBICIDES: Use KINGTIDE® at 1/2 to 2 pints per acre in 10 to 20 gallons of spray solution for round applications or 1/2 to 2 pints per acre in 5 to 10 gallons of spray solution for aerial applications.

INSECTICIDES/FUNGICIDES/DEFOLIANTS:

Use KINGTIDE® at 4 to 16 fluid ounces per acre in 5 to 10 gallons of spray solution for ground applications or 4 to 6 fluid ounces per acre in 2 to 5 gallons of spray solution for aerial applications. Always follow the pesticide label instructions for mixing and use. However, if no mixing instructions are available, add tank mix partners in the following order, maintaining agitation throughout:

1. Water to 3/4 of target volume.
 2. Fertilizers and micronutrients.
 3. If foaming is anticipated, add SudBlaster®.
 4. Water-soluble actives (dry flowables, granules, etc.).
 5. Flowable and water soluble actives.
 6. KINGTIDE®
 7. Water to the desired target volume.
- For optimum results, spray mixtures containing KINGTIDE® should be applied with 36 hours.

STORAGE AND DISPOSAL INFORMATION

STORAGE: Store product in original container only, away from other pesticides, fertilizers, food or feed. Do not use, spill, or store near heat or open flame. Keep this container closed when not in use and take care to prevent any water from being introduced to the contents of this container. **DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Triple rinse container and pour rinsate into spray tank. Do not reuse container. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit www.acrcycle.org. Dispose of contents/container in accordance with local/national regulations.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have the person rinse mouth and sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If irritation persists, seek medical attention. **IF ON SKIN OR CLOTHING:** Immediately take off contaminated clothing and wash before reuse. Rinse skin immediately with plenty of water for 15-20 minutes. If skin irritation occurs, seek medical attention/advice. Call a poison control center or doctor for treatment advice. **IF INHALED:** Remove person to fresh air and keep comfortable with breathing. Call a poison control center or doctor if you feel unwell. If a person is not breathing, call 911 and give artificial respiration.

NOTICE OF WARRANTY: Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, the presence of other materials, or the manner of use or application, all of which are beyond the control of the Seller.

MANUFACTURED FOR:

IN NO CASE SHALL SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER. SELLER MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

California Reg. No. 1050984-50008-AA
Washington Reg. No. 45059-15002

NET CONTENTS: 4 x 1 GALLON



Carolina Eastern, Inc.
347 McAllister Mill Road
Scranton, SC 29591
843-389-2761
CROPEXCELLENCE.COM



7.667"

8.625"