

CROP EXCELLENCE®

STICKER



SPREADER - STICKER - DEPOSITION AID

0 = HIGH AVAILABILITY
LESS PACKAGING / LESS WASTE

PRINCIPAL FUNCTIONING AGENTS:

Latex and Silicone.....	63%
Inert Ingredients.....	37%
TOTAL	100%



DANGER

KEEP OUT OF REACH
OF CHILDREN

GENERAL INFORMATION

CROP EXCELLENCE® STICKER X-TREME® is a premium non-ionic spreader/sticker foliar surfactant specifically formulated to improve contact chemistries and tank mix products that require excellent coverage and rain fast duration. CE STICKER X-TREME® is an extremely safe surfactant, that provides excellent coverage and resist loss due to environmental impact. CE STICKER X-TREME® is for use in turf, ornamental, agriculture, right away, industry and aquatic settings. Apply CE STICKER X-TREME® when superior coverage and performance is demanded. CE STICKER X-TREME® merges the binding of latex and the spreading of organosilicone to build a premium spreader sticker. CE STICKER X-TREME® increase deposition, run off and securing rain fastness. CE STICKER X-TREME® produces a consistent film, protecting pesticides from the loss due to environmental fate. Apply 30 minutes prior to irrigating or potential rain.

WARNING: CAUSES SERIOUS EYE IRRITATION.

PRECAUTIONARY STATEMENTS

Harmful if absorbed through skin, do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment: Wear chemical resistant gloves, Long-sleeved shirt and long pants, and shoes plus socks.

DIRECTIONS FOR USE

ALWAYS FOLLOW THE DIRECTIONS ON THE LABEL OF ANY PEST CONTROL PRODUCT. CE STICKER X-TREME® may be used with any herbicide, insecticide, fungicide or other pest control product that allows or requires the use of a spray additive. This product may be used in accordance with the label instructions of pesticides that have been approved for aquatic use. The user must have experience with this product or have tested this product in the application and on all plants before use. To test the product, make the exact mixture desired and spray a small test area. Then wait at least 48 hours to see if damage occurs. **SHAKE WELL BEFORE USING**

GENERAL USE

For use on Turf, Ornamental, Agriculture, Right Away, Forestry and Aquatics. Apply CE STICKER X-TREME®, by volume to 100 gallons of spray solution water, based on spray volume per acre. Rate: fluid oz per 100 gallons:

Above 50 gal / acre: 8 - 16 oz / 100 gal
10 gal - 50 gal / acre: 16 - 24 oz / 100 gal
Below 10 gal / acre: 24 - 32 oz / 100 gal

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Store in original container only. Do not add anything to the container. Keep container tightly sealed when not in use. Do not store near fire, flame or other potential sources of ignition. **DISPOSAL:** Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best method of disposing containers if allowed by law. The Agriculture Recycling Container Council (ACRC) operates the national recycling center program. To contact your state and local ACRC visit the ACRC website at www.acrcycle.org. Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

CLEAN UP: Rinse each spray tank out after each use and flush thoroughly.

FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

If Swallowed: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth to mouth if possible.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue to rinse eye. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY

The manufacturer or seller makes no other expressed or implied warranty of fitness or merchantability of any other expressed or implied warranty. In no case shall the seller be liable for consequential, special, or indirect damage resulting from the use or handling of this product. The Manufacturer and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of the manufacturer. MANUFACTURED FOR:

NET CONTENTS:

2.5 gal.

DENSITY:

8.4 lb. / gallon

