

MOUSE TRAP[®]

DEPOSITION AID/DRIFT CONTROL ADJUVANT



PRINCIPAL FUNCTIONING AGENTS

Alkoxylated plant-derived oils, methyl esters, and free fatty acids. . . 100%
All ingredients are exempt from the tolerance requirements in 40 CFR 180



WARNING
KEEP OUT OF REACH
OF CHILDREN

GENERAL INFORMATION

MOUSETRAP[®] is a oil-based adjuvant that improves spray deposition on intended targets and reduces spray drift. **MOUSETRAP[®]** works effectively with herbicides, fungicides, insecticides, desiccants, and defoliants. **MOUSETRAP[®]** reduces the number of fine particles in the spray pattern without thickening the spray. By keeping more spray droplets within the most effective size range, **MOUSETRAP[®]** helps improve coverage, increase canopy penetration, and reduce drift and evaporation of pesticides, whether they are applied by ground or air.

DIRECTIONS FOR USE

For use with Herbicides (including desiccants), Insecticides, and Fungicides. Prior to use, read all directions on this label.

RECOMMENDED RATES

DRIFT REDUCTION:

MOUSETRAP [®] RATE	Spray Solution Gallons per Acre (GPA)
4 oz/acre	5 - 25 GPA
4 - 6 oz/acre	25 - 50 GPA
6 oz/acre	>50 GPA

The higher rate of **MOUSETRAP[®]**, within the range listed in the above table, is recommended for when using higher rates of pressure or increased GPA of the spray solution. Before mixing pesticides with **MOUSETRAP[®]**, conduct a jar test to determine compatibility.

DEPOSITION AID: For use as a deposition aid only with insecticides and fungicides: 4 oz/acre for spray solutions of 5 - 25 GPA.

AQUATIC USE: **MOUSETRAP[®]** can be used for aquatic applications including surface water. Always follow pesticide product labels for specific directions and precautions.

DRONE/UAV: 1 - 1.5 oz/acre at 2 - 3 GPA spray volume

MIXING: Add **MOUSETRAP[®]** after pesticides or other adjuvants are added but prior to complete filling of the spray tank.

DIRECT INJECTION: **MOUSETRAP[®]** can be applied through injection systems where **MOUSETRAP[®]** is added to one of the system's chemical injection tanks. An in-line mixing chamber is recommended.

DICAMBA HERBICIDES: Use 0.3% volume-to-volume (v/v) of the final spray volume at 15 GPA or less when dicamba is in the spray mixture.

- **Step 1** Add **MOUSETRAP[®]** to the chemical injection tank.
- **Step 2** Pump the correct amount of **MOUSETRAP[®]** into the line.
- **Step 3** Pump the proper amount of water, pesticide, and other adjuvants into the line for mixing with **MOUSETRAP[®]** and chemicals before going into the spray boom.

Do not mix **MOUSETRAP[®]** with other adjuvants in an induction system or container when all the products are undiluted. Once mixed in water, all the products are compatible in any mixing order.

NET CONTENTS:

___ 2.5 gals ___ 2x2.5 gals

NET WEIGHT: 7.76 lbs/gallon

PRECAUTIONARY STATEMENTS

Harmful if inhaled. Avoid breathing spray mist. Remove and wash contaminated clothing before reuse.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. **STORAGE:** Store in original container only and keep sealed. Store in closed storage areas. Storage above freezing is recommended. If product freezes, warm and agitate (recirculate) prior to using. **ADJUVANT DISPOSAL:** Wastes resulting from the use of this product may be disposed of through on-site spray application or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option for container disposal. The ACRC operates the national recycling program. Contact your state and local ACRC recycler or visit the ACRC web page at agrecycling.org. Decontaminated containers may also be disposed of in a sanitary landfill. **FOR CHEMICAL EMERGENCY:** Spill, leak, fire, exposure, or accident, call CHEMTREC 1-800-424-9300.

FIRST AID
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **In case of medical emergency, call toll free 1-877-424-7452.**

NOTICE OF WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. Seller makes no other express or implied warranty of merchantability or fitness for a particular purpose, nor is any representative of seller authorized to make any such warranty or modify these terms. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

MANUFACTURED FOR:

Carolina Eastern, Inc.
347 McAllister Mill Rd
Scranton, SC 29591
843-389-2761
croplexcellence.com

